

BRACKET

ANALOGUE CAMERA

Product form	Model	Relevant brackets and housings					
Box camera 18	DS-2CC12D9T-A DS-2CC12D9T-E	Indoor			Indoor housing		Outdoor housing
							
		DS-1299ZJ	DS-1280ZJ-XS	DS-1292ZJ	DS-1332HZ	DS-1330HZ	DS-1331HZ Series
		Pendant Mount	Junction box	Wall mount	Indoor housing	Indoor housing	Outdoor housing
		Hik white Aluminum Alloy 77×77×198mm 165g	Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g (Match up with DS-1299ZJ)	Hik white Aluminum alloy 70×97.1×217.9mm 201g	Hik white Aluminum alloy 288×149×100mm 800g	Hik white Complex fiber 290×142×92mm 640g	Hik white Aluminum alloy

Product form	Model	Relevant brackets and housings
Bullet camera 14	DS-2CE16D0T-IR(P)	Indoor/Outdoor
		
		DS-1280ZJ-XS
		Junction box
		Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g

Product form	Model	Relevant brackets and housings
Bullet camera 15	DS-2CE16D5T-IT1/IT3	Indoor/Outdoor
		
		DS-1280ZJ-XS
		Junction box
		Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g

Product form	Model	Relevant brackets and housings			
Bullet camera 16	DS-16CE2D5T-IT5	Indoor/Outdoor			
					
		DS-1275Z-SUS	DS-1260ZJ	DS-1280ZJ-S	DS-1276ZJ-SUS
		Vertical pole mount	Junction box	Junction box	Corner mount
		Hik white Stainless Steel 127×46×250mm Diameter of clamp: Φ67-127mm 1205g	Hik white Aluminum alloy Φ105 mm	Hik white Aluminum alloy Φ137 x 53.4 x 164.8mm 527g	Hik white Stainless Steel 126×105×250mm 2280g

Product form	Model	Relevant brackets and housings			
Bullet camera 20	DS-2CE16D5T-(A)VFIT3	Indoor/Outdoor			
					
		DS-1275Z-SUS Vertical pole mount	DS-1260ZJ Junction box	DS-1280ZJ-S Junction box	DS-1276ZJ-SUS Corner mount
		Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g	Hik white Aluminum alloy Ø105 mm	Hik white Aluminum alloy Ø137 x 53.4x 164.8mm 527g	Hik white Stainless Steel 126×105×250mm 2280g

Product form	Model	Relevant brackets and housings
Bullet camera 22 Bullet camera 23	DS-2CC12D9T-IT3E/IT5E DS-2CE16H1T-IT1/IT3/IT5 DS-2CE16D7T-IT1/IT3/IT5 DS-2CE16F7T-IT1/IT3/IT5 DS-2CE16F1T-IT1/IT3/IT5 DS-2CE16D0T-IT1/IT3/IT5	Indoor/Outdoor
		
		DS-1280ZJ-XS
		Junction box
		Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g

Product form	Model	Relevant brackets and housings			
Bullet camera 24	DS-2CE16D9T-AIRAZH	Indoor/Outdoor			
					
		DS-1275Z-SUS	DS-1260ZJ	DS-1280ZJ-S	DS-1276ZJ-SUS
		Vertical pole mount	Junction box	Junction box	Corner mount
		Hik white Stainless Steel 127×46×250mm Diameter of clamp: Φ67-127mm 1205g	Hik white Aluminum alloy Φ105 mm	Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	Hik white Stainless Steel 126×105×250mm 2280g

Product form		Model	Relevant brackets and housings		
Bullet camera 25		DS-2CE16D5T-AIR3ZH DS-2CE16D7T-(A)IT3Z DS-2CE16F7T-(A)IT3Z DS-2CE16H1T-(A)IT3Z DS-2CC12D9T-AIT3ZE	Indoor/Outdoor		
					
			DS-1275Z-SUS	DS-1280ZJ-S	DS-1276ZJ-SUS
			Vertical pole mount	Junction box	Corner mount
			Hik white Stainless Steel 127×46×250mm Diameter of clamp: Φ67-127mm 1205g	Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	Hik white Stainless Steel 126×105×250mm 2280g

Product form	Model	Relevant brackets and housings
Bullet camera 32	DS-2CE16D7T-IT DS-2CE16F7T-IT DS-2CE16F1T-IT DS-2CE16H1T-IT	Indoor/Outdoor
		
		DS-1280ZJ-XS
		Junction box
		Hik white Aluminum Alloy Ø100 x 43.2 x 129mm 320g

Product form		Model	Relevant brackets and housings							
Dome camera 11		DS-2CC52D9T-AVPIT3ZE DS-2CE56H1T-(A)VPIT3ZE DS-2CE56D7T-(A)VPIT3Z DS-2CE56F7T-(A)VPIT3Z DS-2CE56D5T-(A)VPIR3 DS-2CE56D5T-AVPIR3Z(H)	Indoor/Outdoor							
										
			DS-1271ZJ-140 Pendant Mount Hik white Aluminum alloy Ø150×565mm 1900g	DS-1273ZJ-140 Wall mount Hik white Aluminum alloy 140×183.5×232mm 703g	DS-1273ZJ-140B Wall mount Hik white Aluminum alloy with junction box 140×243×292mm 1488g	DS-1241ZJ In-ceiling mount Hik white Aluminum alloy Ø200×26.8mm 300g	DS-1240ZJ Inclined ceiling mount Hik white Aluminum alloy Ø145×63mm 440g	DS-1275ZJ-SUS Vertical pole mount Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS- 1273ZJ-140)	DS-1276ZJ-SUS Corner mount Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS- 1273ZJ-140)	DS-1253ZJ-L Rain shade Hik white Composite Fibre Ø225.1×98mm 198g Match up with wall mount(DS- 1273ZJ-140)

Product form		Model	Relevant brackets and housings							
Dome camera 16		DS-2CC52D9T-AITZE DS-2CE56H1T-(A)ITZ DS-2CE56D7T-(A)ITZ DS-2CE56F7T-(A)ITZ DS-2CE56D5T-(A)VFI DS-2CE56D5T-AIRZ	Indoor							
										
			DS-1271ZJ-130 Pendant Mount Hik white Aluminum alloy Ø150×565mm 1900g	DS-1273ZJ-130 Wall mount Hik white Aluminum alloy 132×183.5×228.5mm 690g	DS-1273ZJ-130B Wall mount Hik white Aluminum alloy with junction box 132×243×288.5mm 1475g	DS-1249ZJ In-ceiling mount Hik white ABS plastic Ø169.4×14.6mm 60g	DS-1275ZJ-SUS Vertical pole mount Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1273ZJ-130)	DS-1276ZJ-SUS Corner mount Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-130)	DS-1253ZJ-L Rain shade Hik white Composite Fibre Ø225.1×98mm 198g Match up with wall mount(DS-1273ZJ-130)	DS-1250ZJ Rain shade Hik white Composite Fibre 264.7×152×189.6 mm 199g

Product form		Model	Relevant brackets and housings							
Dome camera 18		DS-2CE56H1T-VPIT DS-2CE56F1T-VPIT DS-2CE56D7T-VPIT DS-2CE56F7T-VPIT	Indoor							
										
			DS-1259ZJ Inclined ceiling mount Hik white ABS Plastic Ø111×39.2mm 200g	DS-1271ZJ-110 Pendant mount Hik white Aluminum alloy Ø150×560mm 1900g	DS-1272ZJ-110 Wall mount Hik white Aluminum alloy 120×122×169mm 420g	DS-1272ZJ-110B Wall mount Hik white Aluminum alloy with junction box 123×180 ×227.8mm 1205g	DS-1275ZJ-SUS Vertical pole mount Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS- 1272ZJ-110)	DS-1276ZJ-SUS Corner mount Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS- 1272ZJ-110)	DS-1280ZJ-DM18 Junction box Hik white Aluminum alloy Ø115.4×43.8mm 450g	DS-1258ZJ Wall mount Hik white ABS plastic 120×111 ×161.5mm 200g

Product form	Model	Relevant brackets and housings			
Fisheye	DS-2CC52H1T-FITS	Indoor			
					
		DS-1294ZJ	DS-1281ZJ-DM27	DS-1297ZJ	DS-1299ZJ
		Wall mount	Inclined ceiling mount	Pendant mount (extendable)	Pendant Mount
		Hik white Toughened Plastic 223.9×80×125.8mm 450g	Hik white Plastic 111.8×40.5×108.3mm 45.8g	Hik white Aluminum alloy (Hight 1000-2000mm)	Hik white Aluminum Alloy 77×77×198mm 165g

Product form/ Model	Product form/ Model	Relevant brackets and housings			
Mini dome camera3	Mini dome camera5	Indoor			
DS-2CE56H1T-ITM DS-2CE56D7I-ITM DS-2CE56F7I-ITM DS-2CE56F1T-ITM DS-2CE56D5T-IRM DS-2CE56D0T-IR(P)	DS-2CE56C0T-IR DS-2CE56C0T-IRP DS-2CE56D0T-IR(P)				
		DS-1272ZJ-110-TRS	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1280ZJ-XS
		Wall mount	Vertical pole mount	Corner mount	Junction box
		Hik white Aluminum alloy 120×122×169mm 420g	Hik white Stainless Steel 127×46×250 mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1272ZJ-110-TRS)	Hik white Stainless Steel 126×105×250mm 2280g Match up with wall mount(DS-1272ZJ-110-TRS)	Hik white Aluminum Alloy Ø100 x 43.2 x 129mm 320g

Product form	Model	Relevant brackets and housings						
Mini dome camera 9	DS-2CE56D5T-IT1/IT3	Indoor/Outdoor						
								
		DS-1272ZJ-110-TRS	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1258ZJ	DS-1280ZJ-S	DS-1281ZJ-S	DS-1271ZJ-110
		Wall mount	Vertical pole mount	Corner mount	Wall mount	Junction box	Inclined ceiling mount	Pendant mount
		Hik white Aluminum alloy 120×122×169mm 420g	Hik white Stainless Steel 127×46×250 mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1272ZJ-110)	Hik white Stainless Steel 126×105×250mm 2280g Match up with wall mount(DS-1272ZJ-110)	Hik white ABS plastic 120×111×161.5mm 200g Suitable for indoor	Hik white Aluminum alloy Ø137 x 53.4x 164.8mm 527g	Hik white Aluminum alloy 137×56.5×147mm 472g	Hik white Aluminum alloy Ø150×560mm 1900g

*Note: the -TRS means it has adapter plate compared to DS-1272ZJ-110. Special for these mini dome cameras

Product form	Model	Relevant brackets and housings					
Mini dome camera 10	DS-2CE56D5T-VFIT3	Indoor/Outdoor					
							
		DS-1273ZJ-130-TRL	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1280ZJ-M	DS-1281ZJ-M	DS-1271ZJ-130-TRL
		Wall mount	Vertical pole mount	Corner mount	Junction box	Inclined ceiling mount	Pendant mount
		Hik white Aluminum alloy 131×183.5×228.5mm 890g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1273ZJ-130-TRL)	Hik white Stainless Steel 126×105×250mm 2280g Match up with wall mount(DS-1273ZJ-130-TRL)	Hik white Aluminum alloy 157×184.8×53.4mm 621g	Hik white Aluminum alloy 157×165.7×61.8mm 586g	Hik white Aluminum alloy Ø150×567mm

Product form	Model	Relevant brackets and housings				
Mini dome camera 12	DS-2CE56D5T-IR3Z DS-2CE56D7T-IT3Z DS-2CE56F7T-IT3Z DS-2CE56H1T-IT3Z	Indoor/Outdoor				
						
		DS-1273ZJ-130-TRL	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1280ZJ-M	DS-1281ZJ-M
		Wall mount	Vertical pole mount	Corner mount	Junction box	Inclined ceiling mount
		Hik white Aluminum alloy 131×183.5×228.5mm 890g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount[DS-1273ZJ-130-TRL]	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount[DS-1273ZJ-130-TRL]	Hik white Aluminum alloy 157×184.8×53.4mm 621g	Hik white Aluminum alloy 157×165.7×61.8mm 586g

Product form	Model	Relevant brackets and housings				
Mini dome camera 13	DS-2CE56C0T-IT1/IT3 DS-2CE56D0T-IT1/IT3 DS-2CE56D7T-IT1/IT3 DS-2CE56F7T-IT1/IT3 DS-2CE56F1T-IT1/IT3 DS-2CE56H1T-IT1/IT3 DS-2CC52D9T-IT3E	Indoor/Outdoor				
						
		DS-1272ZJ-110-TRS	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1280ZJ-S	DS-1281ZJ-S
		Wall mount	Vertical pole mount	Corner mount	Junction box	Inclined ceiling mount
		Hik white Aluminum alloy 110×120×120mm 420g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount (DS-1272ZJ-110)	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount (DS-1272ZJ-110)	Hik white Aluminum alloy 137×53.4×164.8mm 527g	Hik white Aluminum alloy 137×56.5×147mm 472g

BRACKET

IP CAMERA

Product form	Model	Relevant brackets and housings					
Box camera 14	DS-2CD40XXF(WD)-XXXX DS-2CD4CXFWFWD	Indoor		Indoor housing		Outdoor housing	
							
		DS-1299ZJ Pendant Mount	DS-1292ZJ Wall mount	DS-1332HZ Indoor housing	DS-1330HZ Indoor housing	DS-1331HZ Series Outdoor housing	DS-1340HZ Outdoor housing
		Hik white Aluminum Alloy 77×77×198mm 165g	Hik white Aluminum alloy 70×97.1×217.9mm 201g	Hik white Aluminum alloy 288×149×100mm 800g	Hik white Complex fiber 290×142×92mm 640g	Hik white Aluminum alloy	Three-axis adjustment Containing combined wires and fan IK10

Product form	Model	Relevant brackets and housings
Box camera 14	DS-2CD20XX DS-2CD20X5FWD-I	Indoor/Outdoor
		
		DS-1280ZJ-XS
		Junction box
		Hik white Aluminum Alloy Φ100 x 43.2 x 129mm 320g

Product form	Model	Relevant brackets and housings	
Bullet camera 40	DS-2CD26X5FWD-IZS	Indoor/Outdoor	
			
		DS-1475ZJ-SUS Vertical pole mount	DS-1476ZJ-SUS Corner mount
		Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g	Hik white Stainless Steel 126×105×250mm 2280g

Product form	Model	Relevant brackets and housings				
Bullet camera 17	DS-2CD2622FWD-I(W)(S) DS-2CD2642FWD-I(Z)(S)	Indoor/Outdoor				Outdoor
						
		DS-1260ZJ Junction box	DS-1275ZJ-SUS Vertical pole mount	DS-1280ZJ-S Junction box	DS-1276ZJ-SUS Corner mount	Rubber sleeve Rubber sleeve with weather proof
		Hik white Aluminum alloy Φ105 mm	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Φ67-127mm 1205g	Hik white Aluminum alloy Φ137 x 53.4x 164.8mm 527g	Hik white Stainless Steel 126×105×250mm 2280g	Hik white Rubber

Product form	Model	Relevant brackets and housings			
Bullet camera 23	DS-2CD2TXX	Indoor/Outdoor			
					
		DS-1275ZJ-SUS	DS-1280ZJ-S	DS-1260ZJ	DS-1276ZJ-SUS
		Vertical pole mount	Junction box	Junction box	Corner mount
		Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g	Hik white Aluminum alloy 137×53.4×164.8mm 527g	Hik white Aluminum alloy Ø105 mm	Hik white Stainless Steel 126X105X250mm 2280g

Product form	Model	Relevant brackets and housings		
Bullet camera 24	DS-2CD4AXXF(WD)-I(Z)(H)(S)	Indoor/Outdoor		
				
		DS-1275ZJ-SUS Vertical pole mount	DS-1276ZJ-SUS Corner mount	Rubber sleeve Rubber sleeve with weather proof
		Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g	Hik white Stainless Steel 126X105X250mm 2280g	Hik white Rubber

Product form	Model	Relevant brackets and housings
Bullet camera 28	DS-2CD20XXF(WD)-I(W)	Indoor/Outdoor
		
		DS-1280ZJ-S
		Junction box
		Hik white Aluminum alloy 137×53.4×164.8mm 527g

Product form	Model	
	DS-2CD46XXF(WD)-I(Z)(H)(S)	Indoor/Outdoor
		
		DS-1275ZJ-4626 Vertical Pole Mount Hik white Steel(mounting board) & Stainless Steel(clamp) 127×46×250mm 1235g

Product form		Model	Relevant brackets and housings					
Box camera		DS-2CD40XXF/E-(H)(IR5)(IRA) DS-2CD40XXFWD/E-(H)(IR5)(IRA) DS-2CD40xxFWD/E-(H)(IR5)(3.8-16mm) DS-2CD40xxFWD/E-(H)(IRA)(11-40mm) DS-2CD4026FWD/E-(H)(7-33mm)	Indoor/Outdoor					
								
			DS-1293ZJ	DS-1214ZJ	DS-1275ZJ-SUS	DS-1269ZJ	DS-1233ZJ	DS-1276ZJ
 			Wall mount	Horizontal pole mount	Vertical pole mount	Pendant Mount	Column Mount	Corner mount
			Hik white Aluminum alloy 88×116.6× 297.3mm 473g	Hik white Steel(mounting board) & Stainless Steel(clamp) 117×226×194mm Diameter of clamp: Ø67-127mm 1895g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1293ZJ)	Hik white Aluminum alloy 493x246x88mm 480g	Hik white Steel Ø160 x 1093mm 6200g	Hik white Stainless Steel 126×105×250mm 2280g Match up with wall mount(DS-1293ZJ)

Product form		Model	Relevant brackets and housings					
Dome camera 7		DS-2CD2520F DS-2CD2510F DS-2CD2522FWD-I(W)(S) DS-2CD2542FWD-I(W)(S)	Indoor/Outdoor					
								
			DS-1272ZJ-120 Wall mount	DS-1272ZJ-120B Wall mount	DS-1271ZJ-120 Pendant mount	DS-1276ZJ-SUS Corner mount	DS-1282ZJ-DM mini Gang box	DS-1280ZJ-DM22 Junction box
			Hik white Aluminum alloy 120×122×173.5mm 430g	Hik white Aluminum alloy with junction box 123×180×223mm 1225g	Hik white Aluminum alloy Ø150×573mm 1900g	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount{DS-1272ZJ-120}	Hik white Plastic Ø120 mm	Hik white Alminum alloy 164.8×137×53.4mm 520g

Product form		Model		Relevant brackets and housings						
Dome camera 18		Indoor/Outdoor[suitable for indoor]								
										
		DS-1259ZJ Inclined ceiling mount	DS-1271ZJ-110 Pendant mount	DS-1272ZJ-110 Wall mount	DS-1272ZJ-110B Wall mount	DS-1276ZJ-SUS Corner mount	DS-1280ZJ-DM18 Junction box	DS-1258ZJ Wall mount	DS-1253ZJ-M Rain shade	DS-1250ZJ Rain shade
										
		Hik white ABS Plastic Φ111×39.2mm 200g	Hik white Aluminum alloy Φ150×560mm 1900g	Hik white Aluminum alloy 120×122×169mm 420g	Hik white Aluminum alloy with junction box 123×180×227.8mm 1205g	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1272ZJ-110)	Hik white Aluminum alloy Φ115.4×43.8mm 450g	Hik white ABS plastic 120×111×161.5mm 200g	Hik white Composite Fibre Φ191.1×76mm 133g Match up with wall mount(DS-1272ZJ-110)	Hik white Composite Fibre 264.7×152×189.6 mm 199g

Product form		Model		Relevant brackets and housings								
Dome camera 21	DS-2CD2722FWD-I(Z)(S) DS-2CD2742FWD-I(Z)(S)	Indoor/Outdoor										
												
		DS-1271ZJ-135	DS-1273ZJ-135	DS-1273ZJ-135B	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1227ZJ	DS-1280ZJ-DM21	DS-1281ZJ-DM23	DS-1253ZJ-L	DS-1250ZJ	DS-1258ZJ-L
		Pendant mount	Wall mount	Wall mount with junction box	Vertical pole mount	Corner mount	In-ceiling mount	Junction box	Inclined ceiling mount	Rain shade	Rain shade	Wall mount
		Hik white Aluminum alloy 150 ×150×565mm 1900g	Hik white Aluminum alloy 136 ×183.5×230mm 704g	Hik white Aluminum alloy with junction box 136×243 ×290mm 1490g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67- 127mm 1205g Match up with wall mount(DS- 1273ZJ-135)	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS- 1273ZJ-135)	Hik white Aluminum alloy & ABS Plastic Ø210×90mm 540g	Hik white Aluminum alloy 162×137×42mm 250g	Hik white Aluminum alloy 136 .3×136.3×48mm 245g	Hik white Composite Fibre Ø225.1×98mm 198g Match up with wall mount(DS- 1273ZJ-135)	Hik white Composite Fibre 264.7*152 *189.6 mm 199g	Hik white Plastic 136×183× 213mm 260g

Product form	Model	Relevant brackets and housings			
		Indoor/Outdoor			
	DS-2CD27X5FWD-I-ZS				
		DS-1471ZJ-155	DS-1473ZJ-155	DS-1475ZJ-SUS	DS-1476ZJ-SUS
		Pendant Mount	Wall Mount	Vertical pole mount	Corner mount
		Hik white Aluminum alloy Ø155×150×565mm	Hik white Aluminum alloy 155×183.5×240mm	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1473ZJ-155)	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1473ZJ-155)

Product form	Model	Relevant brackets and housings								
		Indoor/Outdoor								
Dome 25	DS-2CD6362F-I(S)(V) DS-2CD6332FWD-I(S)(V) DS-2CD63C2F-I(V)(S)									
		DS-1271ZJ-DM25	DS-1273ZJ-DM25	DS-1280ZJ-DM25	DS-1281ZJ-DM25	DS-1283ZJ	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1274ZJ-DM25	DS-1281ZJ-DM25-B
		Pendant mount	Wall mount	Junction box	Inclined ceiling mount	Three axis adjustment	Vertical pole mount	Corner mount	Corner mount	Pendant mount
		Hik white Aluminum alloy Ø149.5×555mm 1930g	Hik white Aluminum alloy 183.5×164×231.7mm 900g	Hik white Aluminum alloy 178.5×164×41mm 340g	Hik white Aluminum alloy 157.1×164×45.5mm 300g	Hik white Aluminum alloy 167.5×167.5 ×48.7mm	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1283ZJ)	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS- 1273ZJ-130, DS- 1283ZJ)	Hik white Aluminum alloy 209×195×114mm	Hik white Aluminum alloy 161×156×165.5mm

Product form	Model	Relevant brackets and housings								
		Indoor/Outdoor								
Dome 26	DS-2CD45XXF(WD)-I(Z)(H)(S)									
		DS-1273ZJ-DM26	DS-1273ZJ-DM26-B	DS-1271ZJ-DM26	GP-FE1	DS-1250ZJ	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1227ZJ-DM26	
		Wall mount	Wall mount with junction box	Pendant mount	Gang box for junction box (special for US market)	Rain shade	Vertical pole mount	Corner mount	In-ceiling Mount	
		Hik white Aluminum alloy 255×225.7×185mm 1550g	Hik white Aluminum alloy 314.5×260×184.9mm 2050g	Hik white Aluminum alloy 676×185×185mm 2150g	Hik white Steel Ø195mm	Hik white Composite Fibre 264.7*152*189.6 mm 199g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1273ZJ- DM26	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-130)	Hik white Aluminum alloy Ø225×98mm	

Product form		Model		Relevant brackets and housings		
Dome 32	DS-2CD4D16/26FWD-IZ(S)	indoor/Outdoor				
						
		DS-1273ZJ-DM32	DS-1271ZJ-DM32	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1227ZJ-DM32
		Wall mount	Pendent mount	Vertical pole mount	Corner mount	In-ceiling Mount
		Hikvision white Aluminum alloy 183.5×142×232mm	Hikvision white Aluminum alloy Ø150×565mm	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1273ZJ-DM32	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-DM32)	Hik white Aluminum alloy Ø225×98mm

Product form		Model		Relevant brackets and housings			
Dome 27	DS-2CD29XF-I(I)(S) DS-2CD2935FWD-I(S) DS-2CD2955FWD-IS	Indoor					
							
		DS-1294ZJ	DS-1281ZJ-DM27	DS-1297ZJ	DS-1299ZJ		
		Wall mount	Inclined ceiling mount	Pendant mount (extendable)	Pendant Mount		
		Hik white Toughened Plastic 223.9×80×125.8mm 450g	Hik white Plastic 111.8×40.5×108.3mm 45.8g	Hik white Aluminum alloy (Hight 1000-2000mm)	Hik white Aluminum Alloy 77×77×198mm 165g		

Product form		Model		Relevant brackets and housings				
Mini dome camera 8	DS-2CD2322WD-I DS-2CD2342WD-I	Indoor/Outdoor						
								
		DS-1273ZJ-130-TRL	DS-1275ZJ-SUS	DS-1276ZJ-SUS	DS-1280ZJ-DM8	DS-1281ZJ-M	DS-1280ZJ-M	DS-1271ZJ-130-TRL
		Wall mount	Vertical pole mount	Corner mount	Junction box	Inclined ceiling mount	Junction box	Pendant mount
		Hik white Aluminum alloy 131×183.5×228.5mm 890g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Φ67-127mm 1205g Match up with wall mount(DS-1273ZJ-130- TRL)	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-130- TRL)	Hik white Aluminum alloy Φ126.7mm×35mm	Hik white Aluminum alloy 157×165.7×61.8mm 586g	Hik white Aluminum alloy 157×184.8×53.4mm 621g	Hikvision white Aluminum alloy Φ150×567mm

Product form	Model	Relevant brackets and housings					
Mini dome camera 18		Indoor/Outdoor					
							
		DS-1273ZJ-130-TRL Wall mount Hik white Aluminum alloy 131×183.5×228.5mm 890g	DS-1275ZJ-SUS Vertical pole mount Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1273ZJ-130-TRL)	DS-1276ZJ-SUS Corner mount Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1273ZJ-130-TRL)	DS-1280ZJ-DM8 Junction box Hik white Aluminum alloy Ø126.7mm×35mm	DS-1281ZJ-M Inclined ceiling mount Hik white Aluminum alloy 157×165.7×61.8mm 586g	DS-1271ZJ-130-TRL Pendant mount Hikvision white Aluminum alloy Ø150×567mm

Product form	Model	Relevant brackets and housings					
	DS-2CD2HX5FWD-IZS	Indoor/Outdoor					
							
		DS-1473ZJ-135 Wall mount Hik white Aluminum alloy 136×183.5×230mm 704g	DS-1471ZJ-135 Pendant mount Hik white Aluminum alloy 150×150×565mm 1900g	DS-1281ZJ-DM23 Inclined ceiling mount Hik white Aluminum alloy 136.3×136.3×48mm 245g	DS-1475ZJ-SUS Vertical pole mount Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1473ZJ-135)	DS-1476ZJ-SUS Corner mount Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1473ZJ-135)	DS-1473ZJ-135B Wall mount with junction box Hik white Aluminum alloy with junction box 136×243×290mm 1490g

Product form	Model	Relevant brackets and housings	
	PT 5 DS-2CD2F22FWD-I(W)(S) DS-2CD2F42FWD-I(W)(S)	Indoor	
			
		DS-1294ZJ Wall mount Hik white Toughened Plastic 223.9×80×125.8mm 450g	DS-1280ZJ-PT3 Junction box Hik white Plastic Ø120×40mm 104g

Product form	Model	Relevant brackets and housings		
Dual-lens	IDS-2CD6810F/C	indoor		
				
		DS-1227ZJ-P1 In-ceiling mount	DS-2102ZJ Wall mount	DS-1299ZJ Pendant Mount
		Hik white Ø253.4×8.5mm	Hik white 194×110×50mm	Hik white Aluminum Alloy 77×77×198mm 165g

Product form	Model	Relevant brackets and housings				
Dome 30	DS-2CD6986F-(H)	Outdoor				
						
		DS-1271ZJ-DM30-E Pendant mount	DS-1605ZJ-DM30 Wall mount	DS-1280ZJ-BQ30 Junction Box	DS-1275ZJ-SUS Vertical pole mount	DS-1276ZJ-SUS Corner mount
		Hik white Aluminum alloy Ø205.6×359mm 1920g	Hik white Aluminum alloy 205.6×183.5×333.6mm 1620g	Hik white Aluminum alloy Ø195×38.5mm	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with wall mount(DS-1605ZJ-DM30)	Hik white Stainless Steel 126X105X250mm 2280g Match up with wall mount(DS-1605ZJ-DM30)

Product form	Model	Relevant brackets and housings				
PanoVu	DS-2CD6A64F-IHS/NFC	Outdoor				
						
		DS-1602ZJ-P Wall mount	DS-1663ZJ-P Pendant mount	DS-1673ZJ-P Horizontal pole mount	DS-1602ZJ-pole-P Vertical pole mount	DS-1661ZJ-P Pendant mount
		Grey Aluminum alloy 97×182×305mm	Grey Aluminum alloy Ø116.5×57mm	Grey Steel Diameter of the clamp Ø67-127mm Match up with DS-1661ZJ-P, DS-1663ZJ-P	Grey Aluminum alloy 117×194×310mm	Grey Aluminum alloy Ø116.5×200mm

BRACKET

PTZ AND ZOOM CAMERA

Product form	Model	Relevant brackets and housings				
3" Mini PTZ	DS-2DE3204W-DE	Indoor				
						
		DS-1227ZJ-PT6 In-ceiling mount	DS-1273ZJ-PT6 Wall mount	DS-1280ZJ-PT6 Junction Box	DS-1275ZJ-SUS Vertical pole mount	DS-1276ZJ-SUS Corner mount
		Hik white Steel+Platic Ø210×79.3mm	Hik white 183.5×140×232mm	Hik white Aluminum alloy 136.5x42×162.5mm 280g	Hik white Stainless Steel 127×46×250mm Diameter of clamp: Ø67-127mm 1205g Match up with DS_1273ZJ-PT6	Hik white Stainless Steel 126×105×250mm 2280g Match up with DS_1273ZJ-PT6

Product form		Model		Relevant brackets and housings			
IR PTZ 9	DS-2DE4220IW-DE	Outdoor					
							
		DS-1661ZJ	DS-1662ZJ	DS-1663ZJ	DS-1618ZJ	DS-1660ZJ	DS-1604ZJ
		Pendant mount	Pendant mount	Ceiling mount	Wall mount(short arm)	Parapet wall mount	Wall mount
		Hik white Aluminum alloy Φ116.5×200mm 600g	Hik white Aluminum alloy Φ116.5×500mm 960g	Hik white Aluminum alloy Φ116.5×57mm 380g	Hik white Aluminum alloy 110×145×189mm 550g	Hik white Aluminum alloy 180×950×800mm 2900g	Hik white Aluminum alloy 255×171×355.5mm 2150g
							
DS-1604ZJ-pole	DS-1604ZJ-corner	DS-1604ZJ-box	DS-1604ZJ-BOX-POLE	DS-1604ZJ-BOX-CORNER	DS-1619ZJ	DS-1671ZJ-SDM9	
Vertical pole mount	Corner mount	Wall mount with junction box	Vertical Pole Mount with junction box	Wall Mount with junction box	Gooseneck mount	In-ceiling mount	
Hik white Aluminum alloy 170.7×261.8×355.5mm	Hik white Aluminum alloy 206.8×261.8×465mm	Hik white Aluminum alloy 281.2×170.7×395.5mm	Hik white Aluminum alloy & steel 222×139.3×422mm	Hik white Aluminum alloy & steel 255.5×314×542.5mm	Hik white Aluminum alloy 455.2×130.4×841.5mm	Hik Black Steel + plastic Φ232.9×142.6mm	

Product form	Model	Relevant brackets and housings					
PT11	DS-2DE4A220IW-DE	Outdoor(only available for outdoor PTZ model)					
							
		DS-1605ZJ Wall Mount Bracket	DS-1671ZJ-SD11 In-ceiling Mount Bracket	DS-1280ZJ-SD11 Junction Box	DS-1691ZJ-L Pendant mount	DS-1691ZJ-M Pendant mount	DS-1691ZJ Pendant mount
		Hik white Aluminum alloy 183.5×120×228.6mm 1120g	Hik white Aluminum alloy Φ233×85mm	Hik white Aluminum alloy Φ158×40mm	Hik white Steel 124×84×1000mm 2175g	Hik white Steel 124×84×500mm 1175g	Hik white Aluminum alloy 84×124×335mm 980g

Product form	Model	Product form	Model	Product form	Model	Product form	Model	Product form	Model		
5 inch with IR	DS-2DE5XXXI DS-2AE5XXXTI DS-2AE5XXXTI-A(B)	5 inch without IR	DS-2AE5XXX DS-2DE5XXX	IR PTZ Dome Camera4	DS-2AE7XXX DS-2DE7XXX	6 inch	DS-2DF6XXX	8 inch	DS-2DF8XXXI DS-2DF82XXIW-AEL DS-2DF8836ISV-AEL DS-2DF82XXI-AEL(B)		
											
Relevant brackets and housings											
Outdoor(only available for outdoor PTZ model)											
											
DS-1661ZJ	DS-1662ZJ	DS-1663ZJ	DS-1660ZJ	DS-1604ZJ	DS-1604ZJ-pole	DS-1604ZJ-corner	DS-1604ZJ-box	DS-1604ZJ-BOX-POLE	DS-1604ZJ-BOX-CORNER	DS-1619ZJ	DS-1667ZJ
Pendant mount	Pendant mount	Ceiling mount	Parapet wall mount	Wall mount	Vertical pole mount	Corner mount	Wall mount with junction box	Vertical Pole Mount with junction box	Wall Mount with junction box	Gooseneck mount	Extendable pole for Pendant mount
Hik white Aluminum alloy Φ116.5×200mm 600g	Hik white Aluminum alloy Φ116.5×500mm 960g	Hik white Aluminum alloy Φ116.5×57mm 380g	Hik white Aluminum alloy 180×950×800mm 2900g	Hik white Aluminum alloy 255×171×355.5mm 2150g	Hik white Aluminum alloy 170.7×261.8 ×355.5mm	Hik white Aluminum alloy 206.8×261.8 ×465mm	Hik white Aluminum alloy 281.2×170.7 ×395.5mm	Hik white Aluminum alloy & steel 222×139.3×422mm	Hik white Aluminum alloy & steel 255.5×314 ×542.5mm	Hik white Aluminum alloy 455.2×130.4×841.5mm	Hik white Galvanized steel pipe 1500-2500mm

Product form		Model	Relevant brackets and housings							
PanoVu		DS-2DP0818Z-D DS-2DP1636Z-D DS-2DP1636-D	Outdoor							
										
 			DS-1603ZJ	DS-2663ZJ	DS-1668ZJ	DS-1668ZJ(20)	DS-1673ZJ	DS-1684ZJ	DS-1678ZJ	DS-1619ZJ-P
			Wall mount	3-axis Mount	Pendant mount	Pendant mount	Horizontal pole mount	Vertical Pole mount	Junction Box	Gooseneck mount
			Hik white Aluminum alloy 98×182×362mm	Hik white Aluminum alloy 275.8×269×140.1mm 2600g Note: Only for DS-2DP1636-D	Hik white Steel Φ115×58mm 620g	Hik white Steel Φ115×200mm 1150g	Hik white Steel(mounting board) & Stainless Steel(clamp) Diameter of clamp: Φ67-127mm Match up with pendant mount	Hik white Steel(mounting board) & Stainless Steel(clamp) Diameter of clamp: Φ67-127mm Match up with Wall mount	Hik white Aluminum alloy 286×424×119.5mm	Hik white Steel 455×130×815.5mm

Product form	Model	Relevant brackets and housings
PanoVu PT	iDS-2PT9122IX-D/S Wall mount bracket included in the package	Outdoor
		
		DS-2664ZJ
		Pendent mount
		Grey Aluminum alloy Ø203.5×217.4mm